


SIEMENS



Siemens PLM Software

NX Advanced Flow

Extend flow analysis solutions

Benefits

- Extend flow solution capabilities in NX Flow and NX Electronic Systems Cooling
- Speed solution time through parallel flow calculations
- Reduce costly physical prototypes by using flow simulation to understand product performance
- Gain further insight through coupled thermo-fluid multiphysics analysis using NX Advanced Flow with NX Thermal or NX Advanced Thermal
- Achieve faster CFD results through a consistent environment that allows you to quickly move from design to advanced CFD results

Summary

NX™ Advanced Flow software is a powerful and comprehensive solution for computational fluid dynamics (CFD) problems. NX Advanced Flow is an add-on module to both NX Flow and NX Electronic Systems Cooling that extends the flow simulation capabilities of these products to include internal or external fluid flow including compressible and high-speed flows, non-Newtonian fluids, tracking of heavy particles, and multiple rotating frames of reference. Combined with NX Thermal and NX Advanced Thermal, NX Advanced Flow solves a wide range of multiphysics scenarios involving strong coupling of fluid flow and heat transfer.

NX Advanced Flow enables you to model and simulate complex fluid flow problems through an element-based, finite volume CFD scheme used to compute 3D fluid velocity, temperature and pressure by solving the Navier-Stokes equations.

Applications of NX Advanced Flow include:

- Simulate fluid movement in a moving container (liquid filling and sloshing)
- Simulation of automotive underhood cooling

- Flow and thermal comfort analysis for HVAC systems
- Modeling high speed compressible flows
- Simulation of rotating equipment
- Simulation of non-Newtonian fluid flow

NX Advanced Flow features

Solver capabilities




NX Advanced Flow adds the following capabilities to NX Flow:

- Single and multiple rotating frames-of-reference
- Additional turbulence models such as SST, k-Omega and LES
- High-speed flows with supersonic inlet
- General scalars diffusion and heavy particle dynamics tracking
- Humidity and condensation algorithm
- Non-Newtonian fluid models
- Translational and rotational periodicity
- 1D duct flow coupled with 3D flow
- Implicit convection correlations to ambient conditions
- Mixing plane boundary condition
- Two-phase, immiscible fluid flow for sloshing applications

NX Advanced Flow

Benefits continued

- Track the interface between two fluids in a sloshing problem
- Couple 1D to 3D flow submodels to simulate complex systems



- Multi-species filling (and emptying) and open volume enclosures within the fluid domain
- Parallel computing with up to 8 solver processes on a single machine
- Unlimited-process parallel computing with NX Thermal/Flow DMP add-on
- Fully coupled pressure-velocity scheme applied in parallel solver mode
- Semi-implicit, second-order time integration methods for use in conjunction with LES turbulence model
- Second-order central differencing scheme

Add-on results postprocessing options

- Mach number
- Humidity and condensation data
- Scalars distribution data
- Additional turbulence data
- Tracking of heavy particles
- PPD-percentage people dissatisfied (HVAC applications)
- Specialized outputs for non-newtonian fluids
- Shear rate/dynamic viscosity output for non-Newtonian fluids
- PMV-predicted mean vote (HVAC applications)
- Track and plot flow data on specific regions at run time
- Acoustic power density result option

Fluid-thermal multiphysics

NX Advanced Flow seamlessly couples with NX Thermal and NX Advanced Thermal for simulation of complex thermo-fluid interactions and conjugate heat transfer. The thermo-fluid solver handles disjoint meshes at fluid/solid boundaries allowing great flexibility in assembly context

thermo-fluid interactions. The fluid domain and thermal domain do not need to share nodes at the interface; the coupled solver will create the appropriate heat transfer coupling at all the solid/fluid interfaces.

Fluid-structural coupling

Pressure and shear force results from the NX Flow solution can be used as a pre-stress condition for a structural analysis. The NX Nastran® license is sold separately.

Supported hardware/OS

NX Advanced Flow is an add-on module to either NX Advanced FEM or NX Advanced Simulation. It requires either a license of NX Flow or NX Electronic Systems Cooling as a prerequisite. NX Advanced Flow is available on the same supported hardware platforms as NX Advanced FEM. Contact Siemens PLM Software for for any other specific hardware/OS support requests.

Contact

Siemens PLM Software

Americas +1 314 264 8499

Europe +44 (0) 1276 413200

Asia-Pacific +852 2230 3308

www.siemens.com/plm

© 2015 Siemens Product Lifecycle Management Software Inc. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Fibersim, Geolus, GO PLM, I-deas, JT, NX, Parasolid, Solid Edge, Syncrofit, Teamcenter and Tecnomatix are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. Nastran is a registered trademark of the National Aeronautics and Space Administration. All other logos, trademarks, registered trademarks or service marks belong to their respective holders.
10633-Y 5 1/15 C



844-GEO-SUPT
support@geoplms.com
geoplms.com